REFERENCES

[1] Aggarwal A., Rani R. and Dhir R. (2012), "Handwritten Devanagari Character Recognition Using Gradient Features", International Journal of Advanced Research in Computer Science and Software Engineering, Vol.2, No. 5, pp. 85-90.

[2] Agnihotri V. (2012), "Off-Line Handwritten Devanagari Script Recognition using Diagonal Feature Extraction Method", International Journal of Research in Science and Technology, Vol.1, No. 4.

[3] Arora S., Bhattacharjee D., Nasipuri M., Malik L., Kundu M. and Basu D. (2010), "Performance Comparison of SVM and ANN for Handwritten Devanagari Character Recognition", International Journal of Computer Science Issues, Vol. 7, No. 6, pp. 18-26.

[4] Chavan S., Kale K., Kazi M. and Rode Y. (2013), "Recognition of Handwritten Devanagari compound character a moment feature based approach". International journal of machine intelligence, Vol. 5, No. 1, pp. 421-425.

[5] Choudhary A., Rishi R. and Ahlawat S. (2013), "A New Character Segmentation Approach for Off-Line Cursive Handwritten Words", International Conference on Information Technology and Quantitative Management, pp. 88-95.

[6] Choudhary A., Rishi R. and Ahlawat S. (2013), "Offline Handwritten Character Recognition using Features Extracted from Binarization Technique", AASRI Conference on Intelligent Systems and Control, pp. 306-312.

[7] Choudhury A. and Mukherjee J. (2013), "An Approach towards Recognition of Size and Shape Independent Bangla Handwritten Numerals", International Journal of Science and Research (IJSR), Vol. 2, No.1, pp.223-226.

[8] Desai A. (2010), "Gujarati handwritten numeral optical character reorganization through neural network", Pattern Recognition, Vol. 43, No. 7, pp. 2582–2589.

[9] Dixit S. and Dr. Suresh H. (2013), "South Indian Tamil Language Handwritten Document Text Line Segmentation Technique with aid Of Sliding Window and Skewing Operations", Journal of Theoretical and Applied Information Technology, Vol. 58, No.2, pp.430-439.

[10] George A. and Gafoor F. (2014), "Contorlet Transform Based Feature Extraction for Handwritten Malayalam Character Recognition using Neural Network", International Journal of Industrial Electronics and Electrical engineering, Vol. 2, No. 4, pp. 19-22.

[11] J. P., E. S. and S. H. (2011), “Diagonal Based Feature Extraction for Handwritten Alphabets Recognition System using Neural Network”, International Journal of Computer Science & Information Technology (IJCSIT), Vol. 2, No. 1, pp. 27-38.

[12] John J., V. P. and Balakrishnan K. (2012), “Unconstrained Handwritten Malayalam Character Recognition using Wavelet Transform and Support Vector Machine Classifier”, International Conference on Communication Technology and System Design, pp. 598-605.

[13] K.V. and Rao R. (2013), “Improvement in efficiency of Recognition of Handwritten Telugu Script”, International Journal of Inventive Engineering and Science (IJIES), Vol. 2, No. 1.

[14] Kaur P. and Singh B. (2012), “Recognition of Signboard Images of Gurumukhi”, Journal of Global Research in Computer Science (JGRCS), Vol. 3, No. 6, pp. 20-23.

[15] Khopkar M. (2012), “OCR for printed Devanagari (Gujarati) using MLP”, Intenational Journal of research and innovation in computer engineering, Vol. 2, No. 2, pp. 207-210.

[16] Modi M., Macwan F. and Prajapati R. (2014), “Gujarati Character Identification: A Survey”, International journal of innovative research in electrical, electronics, instrumentation and control engineering, Vol. 2, No. 2, pp. 939-943.

[17] Mukarambi G., Dhandra B. and Hangarge M. (2012), “A Zone Based Character Recognition Engine for Kannada and English Scripts”. Procedia Engineering 38, pp. 3292-3299.

[18] Niranjan S, Kumar V., Kumar H. and Aradhya M. (2009), “FLD based Unconstrained Handwritten Kannada Character Recognition”, International Journal of Database Theory and Application, Vol. 2, No. 3, pp. 21-26.

[19] Pal A. and Singh D. (2010), “Handwritten English Character Recognition Using Neural Network”, International Journal of Computer Science & Communication, Vol-1, No. 2, pp. 141-144.

[20] Patel C. and Desai A. (2013), “Gujarati Handwritten Character Recognition using Hybrid Method based on Binary Tree-Classifier and K-Nearest Neighbour”, International Journal of Engineering Research and Technology (IJERT) Vol. 2, No.6, pp. 2337-2345.

[21] Patil M., Narawade V. and Bhosale V. (2013), “Integrated Segmentation and Recognition of Handwritten Devnagari Characters”, International Journal of Engineering Research and Technology (IJERT), Vol 2, No. 3, pp. 1-6.

[22] Patil N., Adhiya K. and Ramteke S. (2011), “A Structured Analytical Approach to Handwritten Marathi vowels Recognition”, International Journal of Computer Applications, Vol. 31, No.3, pp.48-52.

[23] Patil S., Sinha G. and Thakur K. (2012), “Isolated Handwritten Devanagari Character Recognition using Fourier Descriptor and HMM”, International Journal of Pure and Applied Sciences and Technology, Vol. 8, No. 1, pp. 69-74.

[24] Pirlo G. and Impedovo D. (2011), “Fuzzy-Zoning-Based Classification for Handwritten Characters”, IEEE Transaction on Fuzzy Systems”, Vol. 19, No. 4.

[25] Rahman A. and Saddik A. (2007), “Modified Syntactic Method to Recognize Bengali handwritten Characters”, IEEE Transactions on Instrumentation and Measurement, Vol. 56, No. 6, pp. 2623-2632.

[26] Rahman S., Rahaman G., Ahmed A. and Salahuddin G. (2008), “An Approach to Recognize Handwritten Bengali Numerals for Postal Automation”, International Conference on Computer and Information Technology, pp. 171-176.

[27] Shanthi N. and Duraiswamy K. (2007), “Performance Comparison of Different Image Sizes for Recognizing Unconstrained Handwritten Tamil Characters using SVM”, Journal of Computer Science, Vol. 3, No. 9, pp. 760-764

[28] Shrivastava S. and Gharde S. (2010), “Support Vector Machine for Handwritten Devanagari Numeral Recognition”, International Journal of Computer Applications, Vol. 7, No.11, pp. 9-14.

[29] Singh R. and Kaur M. (2010), “OCR for Telugu Script Using Back-Propagation Based Classifier”, International Journal of Information Technology and Knowledge Management, Vol. 2, No. 2, pp. 639-643

[30] Singh S., Dhir R. and Rani R. (2011), “Handwritten Gurumukhi Character Recognition Using Zoning Density and Background Directional Distribution Features”, International Journal of Computer Science and Information Technologies, Vol. 2, No. 3, pp. 1036-1041.

[31] Solanki P. and Bhatt M. (2013), “Printed Gujarati Script OCR using Hopfield Neural Network”, International journal of computer applications, Vol. 69, No. 13, pp. 33-37.

[32] Sureshkumar C. and Ravichandran T. (2010), “Character Recognition using RCS with Neural Network”, IJCSI International Journal of Computer Science Issues, Vol. 7, No. 5, pp. 289-295

[33] Vikram C., Shoba C. , Sasikala C. (2013), “Handwritten Character Recognition for Telugu Scripts Using Multi Layer Perceptrons (MLP)”, International Journal of Advanced Research in Computer Engineering & Technology (IJARCET), Vol. 2, No. 12, pp. 3105-3110.

[34] Wagh T. and Badgujar C. (2013), “A Proposed Recognition System For Handwritten Devanagari Script and English Numerals Using ANN”, International Journal of Engineering Research & Technology (IJERT), Vol. 2, No. 4, pp. 2704-2708.

[35] Yang Y., Xu L. and Cheng C. (2011),” English Character Recognition Based on Feature combination”, International Conference on Advances in Engineering, pp. 159-164.

[36] Http://en.wikibooks.org/wiki/Gujarati/How_to_use_Unicode_in_creating_Gujarati_script